


1586-2586/C | High-Capacity Module without Relay Card, Accredited Calibration



产品概述: 1586-2586/C | High-Capacity Module without Relay Card, Accredited Calibration

If you want to configure the 1586A yourself to work with the 1586-2586 High-Capacity Module, you will need a relay card. However, if you already have a slot in the back panel of the 1586A configured for use with the 1586-2586, then you don't need another relay card. You can simply slide the 1586-2586 High-Capacity Module into the preconfigured slot and begin taking measurements. The 1586-2586 High-Capacity Module is designed with universal

input channels to measure temperature, resistance, dc voltage, and dc current for data acquisition applications where channel count and scan speed are important.

产品规格: 1586-2586/C | High-Capacity Module without Relay Card, Accredited Calibration

型号



1586-2586/C

High-Capacity Module without Relay Card, Accredited Calibration

Fluke. 让您的工作畅通无阻。

福禄克测试仪器（上海）有限公司 电话：400-810-3435 ©2025 福禄克公司
04/2025

北京福禄克世禄仪器维修和服务有限公司 电
话：400-615-1563

未经许可，本文档禁止修改

福禄克测试仪器（上海）有限公司上海维修中心 电
话：021-54402301, 021-54401908分机269

福禄克测试仪器（上海）有限公司深圳第一特约维修点
电话：0755-86337229